## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	342	382/285.cds.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/10/17 14:34
S1	22	((PETER) near2 (REDERT)). INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/26 16:26
S2	9	((CHRISTIAAN) near2 (VAREKAMP)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/26 16:26
S3	22	((PETER) near2 (REDERT)). INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/26 16:40
S4	9	((CHRISTIAAN) near2 (VAREKAMP)).INV.	US-PGPUB; USPAT; USOCR	ADJ	ON	2008/08/26 16:40
S5	5	(S3 or S4) and points.clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/08/26 16:40
S6	1	"20060251337" and motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MADJ	ON	2008/08/26 16:50
S8	1616	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (object or subject or person or people) same (junction or node or intersection or vertex or vertices)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:04
S9	341	S8 and (track\$4 or motion or movement or dynamic occlusion) and (depth or identification)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:04
S11	182	S9 and (3d or 3-d or (*3" or three) dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/08/26 17:08

S12	3	S9 and (3d or 3-d or ("3" or three) dimensional) and "t junction"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ		2008/08/26 17:09
S13	20	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (object or subject or person or people) same (junction or node or intersection or vertex or vertices) same (falss\$4 or incorrect or misidentified)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:15
S14	4	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (object or subject or person or people) same (junction or node or intersection or vertex or vertices) same (false\$4 or incorrect or misidentified) same (separately or individually)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:16
S16	8	S13 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:17
S17	1	(group\$4 or cluster\$4 or gatther\$4 or partition\$4) with (points or coordinates) same (junction or node or intersection or vertex or vertices) same (overlap\$4) same (false\$4 or misidentified) same (separately or individually)	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:21
S18	15	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (junction or node or intersection or vertex or vertices) same (overlap\$4) same (separately or individually.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DEFWENT; IBM_TDB	ADJ	ON	2008/08/26 17:21

S19	2	\$18 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:21
S20	50	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) same (junction or node or intersection or vertex or vertices) same (overlap\$4) same object	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:23
S21	11	\$20 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:23
S22	7	\$21 and (3d or 3-d or ("3" or three) dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:24
S23	5	(S3 or S4) and @ad< "20020907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:28
S24	93	(corners or vertices or vertex) same (junction or overlap\$4 or occlusion) same (cluster\$4 or group \$4) same (points or coordinates) and @ad< "20020907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:32
S25	37	\$24 and (3d or 3-d or ("3" or three) dimensional)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:33
S26	118	(corners or vertices or vertex) same (junction or overlap\$4 or occlusion) same (cluster\$4 or group \$4) same (points or cordinates or pixels) and @ad<*20020907*	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:35

\$27	10	\$26 and (3d or 3-d or ("3" or three) dimensional) and "382".das.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	O <b>X</b>	2008/08/26 17:35
S28	7	(corners or vertices or vertex) and (junction or overlap\$4 or occlusion or occluded) and (cluster\$4 or group\$4) near2 (points or coordinates or pixels) and @ad-"20020907" and 382/285.cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:41
S29	1	(corners or vertices or vertex) and (shared) near2 (points or coordinates or pixels or boundary or edge) with (cubes or boxes) and @ad<"20020907" and "382".das.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/08/26 17:54
S30	5567	"382".clas. and associat\$5 with detect\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:13
S31	727	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) and S30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:14
S32	448	S31 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:14
S33	89	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) with object and \$30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:16
S34	5	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) with junction and \$30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM TDB	ADJ	ON	2008/10/13 19:16

S35	<b>—</b>	\$34 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:16
S36	2	"20060251337" and junction	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:18
S37	20	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) with corner and \$30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:19
S38	16	S37 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:19
\$40	20	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) with intersection and \$30	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:25
S41	12	S40 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:25
S42	3	S41 and S33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:26
S43	641	depth map and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:37
S44	65	(group\$4 or cluster\$4 or gather\$4 or partition\$4) with (points or coordinates) and \$43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/13 19:38

S45	2	"6714672" pn. and match \$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:45
S46	1854	"382".clas. and overlap\$5 with blocks	US PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:55
S47	207	"382".das. and overlap\$5 with blocks and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:55
S48	139	S47 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	NO S	2008/10/14 12:56
S49	5573	"382".das. and associat\$5 with detect\$5	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	MON	2008/10/14 12:56
S50	18	S48 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 12:56
S51	22	"382".clas. and overlap\$5 with cubes	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:06
S52	13	S51 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:07
S53	22	S48 and depth	US-PCPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:08

S54	275	"382".clas. and overlap\$5 with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:10
S55	166	S54 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14
S56	53	S55 and depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 13:11
S58	3	"382".clas. and shared (edges or boundary or boundaries) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:24
S59	3	S58 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:24
S60	6	"5740409".pn. or "5793371".pn. or "5867167".pn. or "5870094".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:27
S61	2	"382".clas. and coincident (edges or boundary or boundaries) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:29
S62	3	"382".clas. and shared (edges or boundary or boundaries or coordinates or points or pixels) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:30

S63	3	"382".clas. and shared (edge\$2 or boundary or boundaries or coordinates or points or pixels) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:30
S64	22	"382".clas. and shared (edge\$2 or boundary or boundaries or coordinates or points or pixels) and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:31
S65	17	S64 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:31
S66	16	"382".clas. and common (edge\$2 or boundary or boundaries or coordinates or points or pixels or border\$2) with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON The second se	2008/10/14 15:32
S67	13	S66 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:32
S68	225	"382".clas. and (edge\$2 or boundary or boundaries or coordinates or points or pixels) adj2 common and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:43
S69	22	"382".clas. and (edge\$2 or boundary or boundaries or coordinates or points or pixels) adj2 common with objects and (group\$4 or cluster\$4) with (points or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:43
S70	17	S69 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:43

S71	3	*382" clas. and shared (edges or boundary or boundaries or coordinates or points or pixels) with objects and (group\$4 or cluster\$4) with (points or coordinates or pixels)	US-PGPUB; USPAT; USOCR; IFPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:56
S72	21	grouping with junction with points	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:57
S73	12	shared (edges or boundary or boundaries or coordinates or points or pixels) with objects and (group\$4 or duster\$4) with (points or coordinates or pixels)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:57
S74	10	S73 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 15:57
S75	10	S72 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	mADJ	ON	2008/10/14 16:09
S76	107	"S82"/s.cds. and ((object) with (picture or image) with ((overlap\$4 or junction or connect\$3) or ((shar\$3 or common) near5 (border or boundary or edge or line))) with (cluster or group or class or sub\$1 class)) and (@ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	MADJ	ON	2008/10/14 18:16
S77	27	S76 and motion	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/14 18:21
S79	574385	(multiple or plurality or many or several) with points	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 13:36

S86	29279	(falsely or incorrectly or error) near2 (points or pixels or coordinates)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:16
S87	658	(falsely or incorrectly or error) near2 (points or pixels or coordinates) and depth and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:16
S88	28	(falsely or incorrectly) near2 (points or pixels or coordinates) and depth and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	0 0 0	2008/10/16 14:16
S89	16	\$88 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:17
S90	171	(false\$2 or incorrect\$2 or error or erroneous\$2 or misclassified or incorrect or misidentified or misclassified or misclassified or misclassified or misclassified or misclassified or misclassified or or pixels or coordinates) and depth and (intersection or junction) (points or pixels or coordinates) and "382" class.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWIBNT; IBM_TDB	ADJ	ON	2008/10/16 14:34
S91	123	\$90 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:35
592	4	(false\$2 or incorrect\$2 or error or erroneous\$2 or misclassified or incorrect or misidentified or misclassified or mis-identified) near2 (points or pixels or coordinates) same (intersection or junction) (points or pixels or coordinates) and "382" clas. and depth	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:38

S93	2	S92 and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 14:38
S94	81	one group with image with points and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:42
395	14	\$94 and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:42
S96	9	one group with image points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:44
397	2	S96 and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:44
S98	0	only one group with image points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:45
S99	0	only one group same image points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:46
S100	0	only one (category or cluster or class or subclass) same image points and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:46
S101	2	only one (category or cluster or class or subclass) same image with points and @ad< "20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:46

S102	9	only one (category or cluster or class or subclass) same image with (points or pixels or coordinates) and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 15:47
S103	55	exclusive with (categor\$4 or cluster or class or subclass or group) same image with (points or pixels or coordinates) and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 16:05
S104	29	S103 and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 16:05
S116	11	curvature detection and "382".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 17:06
S117	8	S116 and @ad<"20030907"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2008/10/16 17:06

## 10/17/2008 2:38:59 PM

C:\ Documents and Settings\ mentezari\ My Documents\ EAST\ Workspaces\ 10\_567\_219.wsp